


CLAIM AMENDMENTS

1. (Currently Amended) A compound of formula I



wherein

R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;

R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;

R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;

R^4 is halogen, fluoro(C_1 - C_6)-alkyl, cyano, C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;

R^7 is hydrogen or C_1 - C_6 -alkyl;

R^8 is hydrogen or C_1 - C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

2. (Currently Amended) The compound of formula I according to claim 1 wherein R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; ~~$-(CH_2)_n-NR^5R^6$~~ ; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;
 R^2 is hydrogen or C_1 - C_6 -alkyl;
 R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;
 R^4 is halogen, fluoro(C_1 - C_6)-alkyl, cyano, C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;
 R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;
 R^7 is hydrogen or C_1 - C_6 -alkyl;
 R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt.

3. (Currently Amended) The compound of formula I according to claim 1 wherein R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; ~~$-(CH_2)_n-NR^5R^6$~~ ; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;
 R^2 is halogen or C_1 - C_6 -alkyl;
 R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;
 R^4 is halogen, fluoro(C_1 - C_6)-alkyl, cyano, C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;
 R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;
 R^7 is hydrogen or C_1 - C_6 -alkyl;
 R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

4. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein

R¹ is -(CH₂)_n-CO-NR⁵R⁶; -(CH₂)_n-COOR⁷; -(CH₂)_n-NR⁵R⁶; -(CH₂)_n-CN; -(CH₂)_n-OR⁸; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C₁-C₆)-alkyl;

R² is hydrogen, halogen or C₁-C₆-alkyl;

R³ is hydrogen or C₁-C₆-alkyl,

R⁴ is halogen, fluoro(C₁-C₆)-alkyl, cyano, C₁-C₆-alkoxy or fluoro(C₁-C₆)-alkoxy;

R⁵ and R⁶ are independently from each other hydrogen or C₁-C₆-alkyl;

R⁷ is hydrogen or C₁-C₆-alkyl;

R⁸ is hydrogen or C₁-C₆-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

5. (Currently Amended) The compound of formula I according to claim 1 wherein R¹ is -(CH₂)_n-CO-NR⁵R⁶; -(CH₂)_n-COOR⁷; ~~-(CH₂)_n-NR⁵R⁶~~; -(CH₂)_n-CN; -(CH₂)_n-OR⁸; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C₁-C₆)-alkyl;

R² is hydrogen, halogen or C₁-C₆-alkyl;

R³ is C₃-C₆-cycloalkyl or benzyl;

R⁴ is halogen, fluoro(C₁-C₆)-alkyl, cyano, C₁-C₆-alkoxy or fluoro(C₁-C₆)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;

R^7 is hydrogen or C_1 - C_6 -alkyl;

R^8 is hydrogen or C_1 - C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

6. (Currently Amended) The compound of formula I according to claim 1 wherein R^1 is $-(CH_2)_n-CO-NH_2$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NH_2$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;

R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;

R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;

R^4 is halogen, fluoro(C_1 - C_6)-alkyl, cyano, C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;

R^7 is hydrogen or C_1 - C_6 -alkyl;

R^8 is hydrogen or C_1 - C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

7. (Currently Amended) The compound of formula I according to claim 1 wherein R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;

R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;
 R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;
 R^4 is halogen, fluoro(C_1 - C_6)-alkyl;
 R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;
 R^7 is hydrogen or C_1 - C_6 -alkyl;
 R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt thereof.

8. (Currently Amended) The compound of formula I according to claim 1 wherein
 R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; ~~$-(CH_2)_n-NR^5R^6$~~ ; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;
 R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;
 R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;
 R^4 is C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;
 R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;
 R^7 is hydrogen or C_1 - C_6 -alkyl;
 R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt thereof.

9. (Original) The compound of formula I according to claim 1 wherein R¹ is -(CH₂)_n-CO-NR⁵R⁶.

10. (Original) The compound of formula I according to claim 1 wherein R¹ is -(CH₂)_n-COOR⁷.

11. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R¹ is -(CH₂)_n-NR⁵R⁶.

12. (Original) The compound of formula I according to claim 1 wherein R¹ is -(CH₂)_n-CN.

13. (Original) The compound of formula I according to claim 1 wherein R¹ is -(CH₂)_n-OR⁸.

14. (Original) The compound of formula I according to claim 1 wherein R¹ is phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C₁-C₆)-alkyl.

15. (Original) The compound of formula I according to claim 14 wherein said phenyl is substituted by halogen.

16. (Original) The compound of formula I according to claim 1 wherein R² is hydrogen.

17. (Original) The compound of formula I according to claim 1 wherein R^2 is halogen.

18. (Original) The compound of formula I according to claim 1 wherein R^2 is C_1 - C_6 -alkyl.

19. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R^3 is hydrogen.

20. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R^3 is C_1 - C_6 -alkyl.

21. (Currently Amended) The compound of formula I according to claim [[1]] 38 wherein R^3 is C_3 - C_6 -cycloalkyl.

22. (Original) The compound of formula I according to claim 1 wherein R^3 is benzyl.

23. (Cancelled)

24. (Original) The compound of formula I according to claim 1 wherein R^4 is halogen or fluoro(C_1 - C_6)-alkyl.

25. (Original) The compound of formula I according to claim 1 wherein R^4 is cyano.

26. (Original) The compound of formula I according to claim 1 wherein R⁴ is C₁-C₆-alkoxy or fluoro(C₁-C₆)-alkoxy.

27. (Original) The compound of formula I according to claim 1 wherein R⁷ is hydrogen.

28. (Original) The compound of formula I according to claim 1 wherein R⁷ is (C₁-C₆)-alkyl.

29. (Currently Amended) A compound of formula I according to claim [[1]] 38 selected from

2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide,
2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide,
2-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide,
2-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide,
2-[7-(3-fluoro-benzyloxy)-2-methyl-4-oxo-4H-quinazolin-3-yl]-acetamide, and
2-[2-cyclopropyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide.

30. (Currently Amended) A compound of formula I according to claim [[1]] 38 selected from

7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one,
7-(4-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one,
7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-2-methyl-3H-quinazolin-4-one,
3-(2-amino-ethyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one 1:2 hydrochloride,

3-(3-amino-propyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one 1:2 hydrochloride,
3-(2-amino-ethyl)-7-(4-fluoro-benzyloxy)-3H-quinazolin-4-one 1:1 hydrochloride, and
2-[7-(3-fluoro-benzyloxy)-2-methyl-4-oxo-4H-quinazolin-3-yl]-ethyl-ammonium chloride.


31. (Currently Amended) A compound of formula I according to claim [[1]] 38
selected from

[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid ethyl ester;
fluoro-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid ethyl ester;
2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionic acid ethyl ester;
[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid tert-butyl ester;
2-[7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionic acid tert-butyl ester;
[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid ethyl ester; and
2-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionic acid ethyl ester.

32. (Currently Amended) A compound of formula I according to claim 1 ~~selected~~
~~from which is~~

~~3-(3-fluoro-benzyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one;~~
~~3-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide;~~
~~2-[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetamide;~~
~~[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetonitrile;~~
~~2-cyclopropyl-7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one;~~
~~[2-cyclopropyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid methyl ester; and~~
2-[2-benzyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetamide.

33. (Currently Amended) A pharmaceutical composition comprising a compound of formula I according to claim 1



wherein

R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;

R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;

R^3 is hydrogen, C_1 - C_6 -alkyl, C_3 - C_6 -cycloalkyl or benzyl;

R^4 is halogen, fluoro(C_1 - C_6)-alkyl, cyano, C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;

R^7 is hydrogen or C_1 - C_6 -alkyl;


R^8 is hydrogen or C_1 - C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier.

34. (Original) A process for the preparation of a compound of formula I according to claim 1 comprising reacting a compound of formula IV




wherein

R^3 is hydrogen, C_1 - C_6 -alkyl, or C_3 - C_6 -cycloalkyl or benzyl;

R^4 is halogen, fluoro(C_1 - C_6)-alkyl, cyano, C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy; and

m is 1, 2 or 3

with a compound of formula V



wherein

R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;

R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;

R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;

R^7 is hydrogen or C_1 - C_6 -alkyl;

R^8 is hydrogen or C_1 - C_6 -alkyl; and


n is 0, 1 or 2.

35. (Cancelled)

36. (Cancelled)

37. (Cancelled)

38. (New) A compound of formula I



wherein

R¹ is -(CH₂)_n-CO-NR⁵R⁶; -(CH₂)_n-COOR⁷; -(CH₂)_n-NR⁵R⁶; -(CH₂)_n-CN; -(CH₂)_n-OR⁸; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C₁-C₆)-alkyl;

R² is hydrogen, halogen or C₁-C₆-alkyl;

R³ is hydrogen, C₁-C₆-alkyl, or C₃-C₆-cycloalkyl;

R⁴ is halogen, fluoro(C₁-C₆)-alkyl, cyano, C₁-C₆-alkoxy or fluoro(C₁-C₆)-alkoxy;

R⁵ and R⁶ are independently from each other hydrogen or C₁-C₆-alkyl;

R⁷ is hydrogen or C₁-C₆-alkyl;

R⁸ is hydrogen or C₁-C₆-alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

39. (New) The compound of formula I according to claim 38 wherein

R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1-C_6)-alkyl;

R^2 is hydrogen or C_1-C_6 -alkyl;

R^3 is hydrogen, C_1-C_6 -alkyl, or C_3-C_6 -cycloalkyl;

R^4 is halogen, fluoro(C_1-C_6)-alkyl, cyano, C_1-C_6 -alkoxy or fluoro(C_1-C_6)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1-C_6 -alkyl;

R^7 is hydrogen or C_1-C_6 -alkyl;

R^8 is hydrogen or C_1-C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt.

40. (New) The compound of formula I according to claim 38 wherein R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1-C_6)-alkyl;

R^2 is halogen or C_1-C_6 -alkyl;

R^3 is hydrogen, C_1-C_6 -alkyl, or C_3-C_6 -cycloalkyl;

R^4 is halogen, fluoro(C_1-C_6)-alkyl, cyano, C_1-C_6 -alkoxy or fluoro(C_1-C_6)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1-C_6 -alkyl;

R^7 is hydrogen or C_1-C_6 -alkyl;

R^8 is hydrogen or C_1-C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof.

41. (New) The compound of formula I according to claim 38 wherein
 R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1-C_6)-alkyl;
 R^2 is hydrogen, halogen or C_1-C_6 -alkyl;
 R^3 is C_3-C_6 -cycloalkyl;
 R^4 is halogen, fluoro(C_1-C_6)-alkyl, cyano, C_1-C_6 -alkoxy or fluoro(C_1-C_6)-alkoxy;
 R^5 and R^6 are independently from each other hydrogen or C_1-C_6 -alkyl;
 R^7 is hydrogen or C_1-C_6 -alkyl;
 R^8 is hydrogen or C_1-C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt thereof.

42. (New) The compound of formula I according to claim 38 wherein
 R^1 is $-(CH_2)_n-CO-NH_2$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NH_2$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1-C_6)-alkyl;
 R^2 is hydrogen, halogen or C_1-C_6 -alkyl;
 R^3 is hydrogen, C_1-C_6 -alkyl, or C_3-C_6 -cycloalkyl;
 R^4 is halogen, fluoro(C_1-C_6)-alkyl, cyano, C_1-C_6 -alkoxy or fluoro(C_1-C_6)-alkoxy;
 R^5 and R^6 are independently from each other hydrogen or C_1-C_6 -alkyl;
 R^7 is hydrogen or C_1-C_6 -alkyl;

R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt thereof.

43. (New) The compound of formula I according to claim 38 wherein
 R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;
 R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;
 R^3 is hydrogen, C_1 - C_6 -alkyl, or C_3 - C_6 -cycloalkyl;
 R^4 is halogen, fluoro(C_1 - C_6)-alkyl;
 R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;
 R^7 is hydrogen or C_1 - C_6 -alkyl;
 R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt thereof.

44. (New) The compound of formula I according to claim 38 wherein
 R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1 - C_6)-alkyl;
 R^2 is hydrogen, halogen or C_1 - C_6 -alkyl;
 R^3 is hydrogen, C_1 - C_6 -alkyl, or C_3 - C_6 -cycloalkyl;


R^4 is C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy;
 R^5 and R^6 are independently from each other hydrogen or C_1 - C_6 -alkyl;
 R^7 is hydrogen or C_1 - C_6 -alkyl;
 R^8 is hydrogen or C_1 - C_6 -alkyl;
 m is 1, 2 or 3; and
 n is 0, 1 or 2;
or a pharmaceutically acceptable salt thereof.

45. (New) The compound of formula I according to claim 38 wherein R^2 is hydrogen.
46. (New) The compound of formula I according to claim 38 wherein R^2 is halogen.
47. (New) The compound of formula I according to claim 38 wherein R^2 is C_1 - C_6 -alkyl.
48. (New) The compound of formula I according to claim 38 wherein R^4 is halogen or fluoro(C_1 - C_6)-alkyl.
49. (New) The compound of formula I according to claim 38 wherein R^4 is cyano.
50. (New) The compound of formula I according to claim 38 wherein R^4 is C_1 - C_6 -alkoxy or fluoro(C_1 - C_6)-alkoxy.
51. (New) The compound of formula I according to claim 38 wherein R^7 is hydrogen.

52. (New) The compound of formula I according to claim 38 wherein R^7 is (C_1-C_6) -alkyl.

53. (New) A compound of formula I according to claim 38 selected from
3-(3-fluoro-benzyl)-7-(3-fluoro-benzyloxy)-3H-quinazolin-4-one;
3-[7-(4-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-propionamide;
2-[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetamide;
[7-(3-fluoro-benzyloxy)-2-isopropyl-4-oxo-4H-quinazolin-3-yl]-acetonitrile;
2-cyclopropyl-7-(3-fluoro-benzyloxy)-3-(2-methoxy-ethyl)-3H-quinazolin-4-one; and
[2-cyclopropyl-7-(3-fluoro-benzyloxy)-4-oxo-4H-quinazolin-3-yl]-acetic acid methyl ester.

54. (New) A pharmaceutical composition comprising a compound of formula I



wherein

R^1 is $-(CH_2)_n-CO-NR^5R^6$; $-(CH_2)_n-COOR^7$; $-(CH_2)_n-NR^5R^6$; $-(CH_2)_n-CN$; $-(CH_2)_n-OR^8$; or phenyl, which is unsubstituted or substituted by one to three substituents selected from halogen and fluoro(C_1-C_6)-alkyl;

R^2 is hydrogen, halogen or C_1-C_6 -alkyl;

R^3 is hydrogen, C_1-C_6 -alkyl, or C_3-C_6 -cycloalkyl;

R^4 is halogen, fluoro(C_1-C_6)-alkyl, cyano, C_1-C_6 -alkoxy or fluoro(C_1-C_6)-alkoxy;

R^5 and R^6 are independently from each other hydrogen or C_1-C_6 -alkyl;

Serial No. 10/734,949
Filed: December 13, 2003

R^7 is hydrogen or C_1 - C_6 -alkyl;

R^8 is hydrogen or C_1 - C_6 -alkyl;

m is 1, 2 or 3; and

n is 0, 1 or 2;

or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier.